REMARKS

The specification has been amended to provide descriptions of all save two of the items listed under D. and E. on page 2 of the Office Action. Calyx color has not been provided because the plant has no calyx. The ovaries are now stated to be enclosed in perianth rather than calyx. No branch length and width values are given because the instant variety, a spray mum, unlike pot mums, does not produce branches. The items identified as abaxial foliage and adaxial foliage color already appear in the specification on page 6 under the respective headings for foliage color for under side and upper side. The claim is believed, therefore, to be in compliance with the first and second paragraphs of 35 USC 112.

Enclosed, as required, are copies of related Plant Breeder's Rights applications.

The rejection of claim 1 under 35 USC 102 as anticipated by NL PBR CHR3121, in view of the statement in the last reply that the first sales of the variety took place in January 1999, is respectfully traversed.

The Examiner acknowledges that the publication by itself is not sufficiently enabling to the person of ordinary skill in the art to be able to practice the invention. The Examiner asserts,

however, that the sale of the plants in January 1999, taken with the publication, constitutes a bar to patentability. Applicant respectfully disagrees and points out that 35 USC 102(b) refers specifically to acts in the United States and not elsewhere. It is therefore respectfully submitted it is improper to combine an admittedly non-enabling publication with sales abroad and conclude that the subject matter is barred under 35 USC 102(b).

Applicant respectfully submits also that the holding in Exparte Thomson, 24 USPQ2d 1618 (Bd. Pat. App. & Inter. 1992) does not support the rejection here. That case involved a utility application rather than a plant patent application. Moreover, the materials sold in that case were seeds, not plants. The panel justified its position by stating that the necessary enablement came about by purchase and planting of the requisite seeds. 24 USPQ2d at 1620. The panel also distinguished the situation in In re LeGrice, 133 USPQ 365 (CCPA 1962) from the situation before it, pointing out, "Unlike the seeds of the asexually reproduced roses of LeGrice, which would not produce the claimed rose, the sexually reproduce [sic] of the Siokra cultivar do reproduce the claimed Siokra cultivar." 24 USPQ2d at 1621. The panel in a footnote to the foregoing sentence remarks, "Another point of distinction is that whereas LeGrice concerned a

plant patent, appellant seeks a utility patent, which affords a broader scope of protection."

The Plant Breeder's Right published application lacks sufficient detail to make the publication enabling. The Examiner so admits. As such, the Plant Breeder's Right published application is not de jure prior art. A sale outside the United States is not a patent defeating act under 35 USC 102.

Applicant respectfully submits that it is wholly improper to take two matters, each alone by law not constituting prior art under 35 USC 102, and assert that taken collectively those matters transform magically into a justifiable supportable rejection under 35 USC 102.

Applicant also respectfully traverses the rejection of claim 1 under 35 USC 102 over PL PBR CH00115. Applicant traverses the rejection for the same reasons given above.

Reconsideration of the case is earnestly solicited.

Respectfully submitted,

PARKHURST & WENDEL, L.L.P.

Charles A. Wendel

Registration No. 24,453

Ma 27 203

Enclosure:

Plant Breeder's Right papers

CAW/ch

Attorney Docket No.: CHRE:112

PARKHURST & WENDEL, L.L.P. 1421 Prince Street, Suite 210 Alexandria, Virginia 22314-2805

Telephone: (703) 739-0220

UITSLUITEND R DE RAAD RAAD VOOR HET KWEKERSRECHT aanvrage nr. adres: Nudestraat 15, Wageningen correspondentieadres: postbus 104, 6700 AC Wageningen form. ontv. telefoon: 08370 - 19031 - telefax: 08370 - 25867 postgiro: 198113 rabobank: 39.70.01.258 betaling ontv. AANVRAAG TOT VERLENING VAN KWEKERSRECHT tijdstip aanvrage: 2. KORRESPONDENTIEADRES (indien anders dan onder 1): AANVRAGER(S) (naam, adres met postcode, tel.nr., fax):*) Chrysanthemum Breeders Association N.V. Postbus 370 1430 AJ AALSMEER Tel: 0297-347870 Fax: 0297-344612 dit is het adres 🛭 van één van de aanvragers ☐ van de gemachtigde (volmachtformulier bijgevoegd) Nationaliteit: NL □ voor dienstcorrespondentie 3. GEWAS (Latijnse en Nederlandse benaming): 4. VOORLOPIGE AANDUIDING: Chrysant (Dendranthema) RASBENAMING (+ form. 55): a. KWEKER(S) is (zijn) (indien anders dan onder 1): Het ras is naar aanvrager overgegaan: 2 door overeenkomst tot eigendomsoverdracht □ door successie CBA Research B.V. □ op andere wijze (te specificeren): Postbus 370 1430 AJ AALSMEER b. Het ras is gekweekt in land(en): NL Eerdere aanvragen indiening nummer voor dit ras in stadium rasbenaming of voorlopige aanduiding land en datum van de aanvraag buitenland voor kwekersrecht voor de officiële rassenlijst Er wordt aanspraak gemaakt op het recht van voorrang (art. 34 Zaaizaad- en Plantgoedwet) op grond van de aanvraag ingediend in op (datum)..... Indien op basis hiervan uitstel onderzoek gewenst is, dit hier aangeven: 8. a. Het ras is in Nederland b. Het ras is in buitenland M niet te koop aangeboden of verhandeld 2 niet te koop aangeboden of verhandeld ☐ voor de eerste keer te koop aangeboden of verhandeld $\hfill \square$ voor de eerste keer te koop aangeboden of verhandeld op datum: op datum: onder de benaming: onder de benaming: Hierbij wordt machtiging gegeven aan de Raad voor het Kwekersrecht om met elke bevoegde instantie in een andere Unie-Staat alle nodige inlichtingen uit te wisselen, die betrekking hebben op het ras, mits de rechten van de aanvrager gewaarborgd zijn. 10. Andere bijgevoegde formulieren en stukken ■1. technische vragenlijst 2. volmachtformulier □3. naamsvoorstelformulier (nr. 55.2) -zie vraag 4-□4. gewaarmerkte afschriften -zie vraag 7-Ik verzoek hierbij kwekersrecht te verlenen. Ik verklaar hierbij, dat voor zover mij bekend, de inlichtingen die nodig zijn voor het onderzoek van de aanvraag en die op dit formulier en in de bijlagen zijn gegeven, volledig zijn en naar waarteid zijn opgemaakt. Plaats/datum: RIJSENHOUT. Handtekening(en) aanvrager(s) of gemachtigde:

1) raadpleeg eerst de toelichting op de achterzijde alvorens het formulier in te vullen.

To be returned in duplicate

(37) tube only: Ray floret: cross-

section of ray

Not to be filled in

Reference nr: CHR

Application date:

TECHNICAL QUESTIONNAIRE to be completed in connection with an application for plantbreeder's rights

| | | • | |
|----------|--|--|--------------------|
| _ | | | 111286 |
| 1. | - [| Chrysanthemum spec. CHRYSANTHEMUM (perennial) | (GB) |
| 2. | Applicant(s) (name, addre | ess, telephone, telex) | · |
| | Chrysanthemum Breeders As: P.O. Box 370 1430 AJ AALSMEER | | |
| | Tel: 31(0)297-347870 Fax: 31(0)297-344612 | | |
| 3. | Breeder's reference | 90.4713 | |
| 4. | Information on origin, mai | ntenance and reproduction of the variety | |
| 4.1 | Origin | of the variety | |
| | i) Seedling (indicate pa | rent varieties) | () |
| | ii) Mutation (indicate par | rent variety) White Elik Reagon | (X) |
| | iii) Discovery (indicate wh | rent variety) White Elik Reagann nere and when) (96.4020) | () |
| . 2 | Other information | | , , |
| | corresponding characteristi state of expression which b ristic two possibilities are | ety to be indicated (the description should be bawth retardent; the number in brackets refers to to in the UPOV test guideline TG/26/4; please markest corresponds; in the case where for on characte presented, please complete the first possibility twise complete the second (ii)) | the the |
| | Characteristics | Example Varieties | Note |
| l (0) | Flower head: type | single semi-double double | (1) 2 3 |
| 2 4) | Ray floret: longitudinal axi of majority of ray florets | s reflexing straight incurving twisted broken | 1 (2) 3 4 |
| 3 (| Varieties with short corolla | concave | |

concave

flat

·convex

| CHR | • | i . |
|---------------|--|--|
| e cont | • • • | |
| | Characteristics | Example Varieties Not |
| | Varieties with long corolla tube only: Ray floret: shape of end | quilled |
| 5.5. (47) | (i) Ray floret: colorof inner side ofmajority of ray florets | RHS Colour Chart (indicate reference number) Yellow 5A |
| 5. 5 . | (ii) Ray floret: color of inner side of majority of ray florets | white, like yellow, like pink, like salmon, like red, like purple, like bronze, like |
| 5.6 (58) | Disc floret: type | tubular funnel shaped petaloid 1 2 |

6. Similar varieties and differences from these varieties

| Variety | • |
|--------------------|--------------|
| Sunny Reagan | |
| Speed Sunny Reagan | (CHR 2903) |
| 47.4052-01 | (Eu 90/1574) |
| 99.4003 | (CHR 3106) |

See additional mormation

- 7. Additional information which may help to distinguish the variety
- 7.1 Resistance to pests and diseases
- 7.2 Special conditions for the examination of the variety

| i) Group (use) | as disbudded varietyas spray variety | () ⋈ | |
|----------------|---|----------------|--|
| <u>and</u> | as cut floweras pot plantas garden decorationas exhibition variety | () () () | |

ii) Other conditions (recommendations for flowering period; if the variety is an all-year-round variety, indicate the response group in weeks; if the variety is not an all-year-round variety: recommendations for stopping and number of lateral shoots allowed to flower)

Response 61/2-7 weeks Planking A.y.R (week 1-52)

7.3 Other information

Signature,



De kweker

CBA RESEARCH B.V.

verklaart dat (de eigendom van) de kwekersrechten voortvloeiend uit de aanvrage voor verlening kwekersrecht voor het door haar gekweekte chrysantenras met voorlopige aanduiding

98. 4713

hierbij worden overgedragen aan

Chrysanthemum Breeders Association N.V. Postbus 370 Aalsmeer Nederland

waarbij deze blijkens bijgevoegde volmacht tot aanvraag voor verlening kwekersrecht, verklaart de overdracht te aanvaarden.

CBA Research B.V.





FAXBERICHT

Bedrijf : Raad voor het Kwekersrecht

T.a.v.

Faxnr. : 0317-425 867 Afzender : R.Noodelijk

Betreft : naamsvoorstel CHR 3121

Ref.no. : RN/98.4713

Pagina's: 3

Datum : 4 mei 2001

Geachte heer/mevrouw,

Ingesloten treft U aan het naamsvoorstel voor chrysant CHR 3121;

Sunny Elite Reagan

Tegelijkertijd hebben wij dit voorstel gedaan voor de EU.


Met vriendelijke groet,

Chrysanthenium Breeders Association N.V.

R.Noodelijk

Bijlagen.





bezoekadres: Marijkeweg 24, Wageningen correspondentieadres: postbus 104. 6700 AC Wageningen telefoon: 0317 - 478090 telefax: 0317 - 425867 postgiro: 198113 rabobank: 39.70.01 258

Chrysanthemum Breeders Association N.V.

Postbus 370 1430 AJ AALSMEER

Wageningen. 19/05/1999

Betreft: voorstel voor een rasbenaming.

1. GEWAS

: chrysant

2. VOORLOPIGE AANDUIDING: 98.4713

3. AANVRAAGNUMMER

: CHR 3121

| 4. | HET VOO | RSTEL VOOR | DE RASBENAMING LUIDT: | JNY ELITE | REAGAN | | |
|----|--------------------|----------------------------|---|----------------|--------------------------------------|--|--|
| 5. | Voor he a. in a | tzelfde ras ndere UPOV- | voorgestelde of geregistreerde benamin Staten: | b. t.b.v. B-Li | b. t.b.v. B-Lijst groentegewassen | | |
| | land | stadium | benaming (indien anders dan onder 4) | benaming | g stadium | | |
| | Eu | A | (idem) | | | | |

6. De voorgestelde benaming is als handelsnaam of merk ter inschrijving aangeboden of ingeschreven op naam van de aanvrager(s) voor de in de zin van de merkenwet gelijke of gelijksoortige waren in Nederland, in een lid-Staat van de Unie tot bescherming van Kweekprodukten (UPOV) of bij het internationale Bureau van de Wereldorganisatie voor Intellectuele Eigendom (WIPO).

land en/of WIPO

datum aanvraag

datum inschrijving

inschrijvingsnr.

7. AFSTAND VAN HET MERK.

De ondergetekende verklaart hierbij. dat. ingeval de benaming als hierboven voorgesteld. wordt ingeschreven in het Nederlands Rassenregister, afstand wordt gedaan van de rechten. welke hem in enige Unie-Staat met betrekking tot deze benaming voor gelijke of soortgelijke waren mochten toekomen.

plaats/datum:

Rysenhout

handtekening:

AR55X2



De Raad voor het Kwekersrecht verklaart.

dat op aanvraagnummer

CHR 3121

ingediend op

03/05/1999

het hierna beschreven ras van het gewas

chrysant

onder de benaming

Sunny Elite Reagan

onder volgnummer

20109

per datum

20/12/2001

in het Nederlands Rassenregister is ingeschreven met aantekening van verlening van kwekersrecht ten name van:

Chrysanthemum Breeders Association N.V., Postbus 370, 1430 AJ $\mbox{\rm AALSMEER}$

mr. K.A. Fikkert



Beschikking tot verlening van kwekersrecht voor het ras 98.4713, behorend tot het gewas chrysant, onder aanvraagnummer CHR 3121.

De Raad voor het Kwekersrecht, Afdeling Tuinbouwgewassen, samengesteld als volgt:

- drs. G. van der Lely, voorzitter

- prof.dr.ir. E. Jacobsen en ir. J.E.M. van Ruiten, leden

- mr. K.A. Fikkert, secretaris

Gelezen de op 03/05/1999 door:

Chrysanthemum Breeders Association N.V.. Postbus 370, 1430 AJ AALSMEER

ingediende aanvraag tot verlening van kwekersrecht voor het ras 98.4713, behorend tot het gewas chrysant:

Overwegende dat het bovenaangeduide ras. waarvoor kwekersrecht is aangevraagd, voldoet aan de eisen voor verlening van kwekersrecht, als bedoeld in artikel 29 van de Zaaizaad- en Plantgoedwet: dat overigens de Afdeling niet gebleken is van bezwaren tegen zodanige verlening:

Hij is voorts van oordeel dat de voorgestelde benaming kan worden aanvaard.

Gezien het deskundige-rapport, ontvangen d.d. 08/05/2001

Gelet op de artikelen 18. eerste lid, onder a. 35. eerste lid, en 37 van de Zaaizaad- en Plantgoedwet;

BESLUIT:

1. Aan het hierna omschreven ras wordt kwekersrecht verleend onder de benaming: 'Sunny Elite Reagan'

2. De beschrijving van het ras wordt vastgesteld als op bijbehorend en hierbij gevoegde beschrijvingsblad;

3. Het ras wordt ingeschreven in het Nederlands Rassenregister t.n.v.:

Chrysanthemum Breeders Association N.V., Postbus 370, 1430 AJ AALSMEER

Aldus gewezen te Wageningen.

0 2 MAY 2009

De secretaris

De yodrzitter

Wageningen.

0 7 NOV. 2001

Certified copy THE SECRETARY

V.d. G. Jansen - Vellman



corre

bezoekadres: Marijkeweg 24, Wageningen dentieadres: Postbus 104, 6700 AC Wageningen telefoon: 0317 - 478090 telefax: 0317 - 425867

rabobank: 39.70.01.258 e-mail: raad.kwekersrecht@rkr.agro.nl internet: www.kwekersrecht.nl

Chrysanthemum Breeders Association N.V.

Postbus 370 1430 AJ AALSMEER

Wageningen, 08/11/2001

GEWAS

: chrysant

KWEEKAANDUIDING

: 98.4713

RASBENAMING

: Sunny Elite Reagan

AANVRAAGNUMMER

: CHR 3121

BETREFT

: verlening van kwekersrecht.

Hierbij treft u aan een gewaarmerkt afschrift van de beschikking van de Raad. waarbij uw aanvraag tot verlening van kwekersrecht voor het bovenomschreven ras is toegewezen. Tegen deze beschikking kunt u binnen zes weken na de dag volgend op die van de datum van deze brief desgewenst in beroep gaan bij de Afdeling van Beroep door indiening van een met redenen omkleed beroepschrift. Na die zes weken wordt het ras ingeschreven in het Nederlands Rassenregister, indien u geen beroep heeft ingesteld.

Indien u prijs stelt op een eerdere verlening van kwekersrecht, dan kunt u afstand doen van het beroep door de verklaring op de ingesloten kopie van datum en ondertekening te voorzien en deze kopie terug te zenden.

Ik wijs u erop, dat bij vooruitbetaling een jaarcijns verschuldigd zal zijn. De eerste periode van 12 maanden vangt aan op de eerste dag van de maand na die van bovengenoemde verlening van kwekersrecht. Indien binnen veertien dagen na de vervaldag niet is betaald, zal aan deze verplichting tot betaling worden herinnerd. Het niet of niet tijdig betalen leidt uiteindelijk tot het vervallen van kwekersrecht.

DE SECRETARIS VAN DE RAAD VOOR HET KWEKERSRECHT

(naam/stempel en handtekening)

| Ondergetekende, bevoegd namens geadresseerde op te treden, verklaart afstand te doen van zrecht van beroep tegen de met dit schrijven toegezonden beschikking van de Raad voor het Kwekersrecht, waarbij kwekersrecht werd verleend voor het daarin omschreven ras, dat in het Nederlands Rassenregister zal worden ingeschreven. | • |
|---|---|
| | |

THE PLANT VARIETY RIGHTS OFFICE - UNITED KINGDOM ANNEX TO REPORT ON TECHNICAL EXAMINATION

Requesting autority:

Application No.: CHR 3121

Reporting authority : UNITED KINGDOM

Reference No :

15 / 5815

DESCRIPTION OF VARIETY

A. Characteristics mentioned in the UPOV Test Guidelines TG/26/4 ,dated 14 NOV 1979

| | Characteristic | State | Note | Remarks |
|-------|--|--------------------------------------|------|------------------------------|
| 1.0 | Plant : height | Medium | 5 | |
| ა 0 | Stem : internode length | Short to medium | 4 | |
| 3.0 | Stem : diameter | Thin to medium | 4 | |
| 4.0 | Stem : green colour | Yellow-Green 146B | • | |
| *5.0 | Stem: anthocyanin colouration | Present | 9 | Mainly along the ribs |
| 6.0 | Stem : strength | Medium to strong | 6 | namy along the Fibs |
| 7.0 | Stem : brittleness | Present | 9 | Stem : cross section angular |
| 8.0 | Lateral shoot : attachment to stem | Medium | 5 | oca Coccos section angular |
| 9.0 | Lateral shoot : angle between lateral and stem | Medium | 5 | |
| 10.0 | Peduncle : thickness | Thick | 7 | • |
| 11.0 | Peduncle of terminal flower head : length | Very long | 9 | |
| 12.0 | Stipule : size | Medium | 5 | |
| 13.0 | Leaf : length | Medium to long | 6 | |
| 0 | Leaf : width | Medium | 5 | |
| *15.0 | Leaf : ratio of length/width | High | 7 | |
| 16.0 | Leaf : thickness | Medium | 5 | |
| 17.0 | Leaf : texture | Fleshy | 1 | |
| *18.0 | Leaf : serration | Medium | 5 | |
| 19.0 | Leaf : colour | Between Green 137A and Green 139A | | |
| 20.0 | Leaf : length of lower lobe | Medium to long | 6 | Occasionally shorter |
| 21.0 | Leaf : shape of base of sinus | Round | 2 | • |

A. Characteristics mentioned in the UPOV Test Guidelines TG/26/4 ,dated 14 NOV 1979

| | Characteristic | State | Note | Remarks |
|-------|---|---------------------|------|--|
| | | | | |
| 22.0 | Leaf : claw in base of sinus | Present | 9 | |
| *23.0 | Leaf : margins of sinus | Converging | 3 | |
| 24.0 | Leaf : shape of base | Rounded | 3 | Tending to truncate |
| 25.0 | Leaf : apex | Mucronate | 2 | |
| *26.0 | Spray varieties only : inflorescence : form | Corymbiform | 1 | Tending to cylindrical |
| 27.0 | Spray varieties only : inflorescence : number of flower heads | High | 7 | |
| 28.1 | Spray varieties only : flower head : diameter | Medium | 5 | |
| 28.2 | Disbud varieties only : flower head diameter | Not applicable | - | |
| 29.0 | Flower head : height | Low to medium | 4 | |
| *30.0 | Flower head : type | Semi-double | 2 | |
| *31.0 | Semi-double varieties only : number of rows of ray florets | Low | 3 | |
| 32.0 | Flower head : number of rows of involucral bracts | Five or less | 1 | |
| *33.0 | Flower head : involucral bracts among florets | Absent | 1 | |
| *34.0 | Ray floret : longitudinal axis of majority | Reflexing | 1 | Very weakly to weakly towards the very |
| *35.0 | Ray floret: longitudinal axis of the outer row | Reflexing | 1 | Weakly at the tip |
| *36.0 | Ray floret: length of corolla tube | Very short to short | 2 | |
| *ɔ/.0 | Short tube only: ray floret : cross section of ray | Convex | 3 | |
| *38.0 | Short tube only : ray floret : keel | Absent | 1 | |
| *39.0 | Short tube only : ray floret : keel number | Not applicable | - | |
| *40.0 | Long tube only : ray floret : shape of end | Not applicable | - | |
| 41.0 | Ray floret : length of outer florets | Short to medium | 4 | |
| 42.0 | Ray floret: width of outer florets | Broad | 7 | |
| 43.0 | Ray floret : ratio length/width | Low to medium | 4 | |
| 44.0 | Ray floret : thickness | Medium | 5 | |
| *45.0 | Ray floret : shape of tip | Not applicable | - | Mamillate, often broadly pointed |

A. Characteristics mentioned in the UPOV Test Guidelines TG/26/4 ,dated 14 NOV 1979

| | Characteristic | State | | | Note | Remarks |
|-------|--|-----------------------------|----|-----|------|---------|
| | | | | | | |
| 46.0 | Ray floret : colour of outer side of majority at Stage 8 | Between Yellow Yellow 7D | 6C | and | | |
| 47.0 | Ray floret : colour of inner side of majority at Stage 8 | Between Yellow Yellow 5B | 5A | and | | |
| 48.0 | Ray floret : colour of outer side of inner florets (if different from 46) | As 46 | | | | |
| 49.0 | Ray floret: colour of inner side of inner ray florets (if different from 47) | As 47 | | | | |
| 50.0 | Ray floret : colour of inner side of majority at stage 10 | Not observed | | | | |
| 51.0 | Single and semi-double only : ray florets : number | Low to medium | | | 4 | |
| *52.0 | Ray floret : texture of surface | Textured | | | 2 | |
| 53.0 | Single and semi-double only : disc diameter | Medium to large | | | 6 | |
| *54.0 | Single and semi-double only : disc: colour before anther dehiscence | Green | | | | |
| *55.0 | Single and semi-double only : disc : colour at anther dehiscence | Yellow | | | | |
| *56.0 | Disc : distribution of disc florets | Type 4 | | | 4 | |
| 57.0 | Disc floret : overall length | Medium to long | | | 6 | |
| *58.0 | Disc floret : type | Tubular | | | 1 | |
| 59.0 | Disc floret : colour | Yellow | | | | |
| 60.0 | Receptacle : diameter | Small to medium | | | 4 | |
| .0 | Receptacle : shape | Conical raised | | | 4 | |
| 62.0 | Year round varieties : response group | 7 weeks | | | 2 | |
| 63.0 | Natural season varieties : flowering season | Not applicable | | | - | |

B. Differences from those varieties which most closely resemble the variety.

AFP 15 / 5815

AFP 15 / 3671 (SUNNY REAGAN)

Characteristic 34.0 Reflexing

Very weakly to weakly towards the very tip

Reflexing

With weak to medium strength at the tip

Characteristic 62.0 7 weeks

8 weeks

AFP 15 / 5815

AFP 15 / 5303 (SPEED SUNNY REAGAN)

Characteristic 34.0 Reflexing

Very weakly to weakly towards the very tip

Reflexing With weak to medium strength at the tip

AFP 15 / 5815

AFP 15 / 5551 (RGN ELITE GEEL)

Characteristic 11.0 Very long

Long

C. Additional data

Colour of outer side of outer ray florets in bud (Stage 6):

Yellow 9B

AFP 15/581

